

TITLE OF THE INVENTION

METHOD FOR SIMPLIFIED ONE-TOUCH ORDERING OF GOODS AND SERVICES FROM A WIRED OR WIRELESS PHONE OR TERMINAL.

BACKGROUND OF THE INVENTION

5 1. Field of the Invention

[0001] This invention relates in general to the conducting of electronic commerce, such as the purchasing and advertising of goods and/or services, using a wired or wireless terminal or device. In particular, the invention relates to a system for convenient rapid entry of repeat orders for goods or services via cellular phone, as well as the targeted delivery of advertising or promotional information to mobile individuals.

10 2. Background Art

[0002] In recent years, the volume of commerce transacted on the Internet has grown dramatically. Internet users enjoy the convenience of learning about products, comparison shopping, and placing orders for goods and services at any time of the day or night, from a personal computer all without leaving their home or office.

[0003] Due in good part to its speed, breadth and efficiency, Internet shopping has pervaded nearly every aspect of commerce. Consumers and businesses alike now conduct a vast array of commercial transactions electronically, including such things as requesting restaurant delivery service, booking travel reservations, and purchasing products such as groceries, electronics, books, household supplies, office supplies, furniture, kitchen equipment, and prescription drugs.

[0004] As more users incorporate electronic commerce activities into their daily lives and as more type of goods and services become available for purchase, it becomes highly desirable to maximize the convenience of conducting commercial activities via

[0005] means other than by being physically present at a retail store establishment or by otherwise interacting with a human operator by telephone as in the case of conducting a mail order transaction.

[0006] As users increasingly turn to the Internet for their daily needs, many users find themselves repeatedly engaging in common transactions over the Internet. Prior art systems of placing orders via the Internet require the user to use a PC, access the Internet and enter all the details of such a desired order each time the order is placed. Some users may be dissatisfied, or even deterred from placing an order online, due to the ensuing inconvenience and effort of specifying and placing the order. By minimizing the effort required by a user to place an electronic order with a vendor, the likelihood of that user placing the order with the vendor is maximized. Therefore, it is an object of this invention to allow users to place repeat orders automatically, with minimal effort on the part of the user.

[0007] The frequency with which an individual uses a service tends to increase with the simplicity and convenience of using the service. This is particularly the case for consumable goods that may be ordered by a consumer on a periodic and ongoing basis. To date, various prior art devices have provided, or in the case of U.S. Patent No. 5,960,411 have attempted to provide true "one-touch" ordering of goods or services. However, such prior art devices have typically comprised PC-based devices which communicate over the Internet to the computer systems of businesses or vendors

offering goods and services. Additionally, the prior art system disclosed in the '411 patent requires that the user go through the effort of (1) first launching an Internet web browser software application, (2) logging into and entering the vendor's web site, (3) navigating the vendor's web site to locate the desired items or services to be ordered, and (4) tagging each the items desired, which are only then processed as an order.

[0008] Thus, there exists the opportunity for conducting even greater levels of commerce and affording consumers even greater convenience by permitting true one-touch ordering of goods and services, particularly without the need to access and use a PC. Therefore, it is highly desirable to provide a system for improving the speed and efficiency of conducting commercial transactions via a wireless device. It is also desirable to implement a one-touch order without the need to use a PC or access the Internet. Another desirable aspect of the invention provides automated configuration of electronic commerce transactions, thereby maximizing the convenience to the user.

[0009] Finally, the present invention empowers users to take advantage of electronic commerce in various mobile settings. However, many aspects of existing electronic commerce systems are configured for use by users with access terminals residing in fixed locations. Therefore, it is also desirable to provide for targeted dissemination of information or routing of commercial transactions based upon both current geographic location and anticipated future geographic location, thereby facilitating electronic commerce for such mobile users.

SUMMARY OF THE INVENTION

5 [0010]The invention provides convenient, rapid and targeted mechanisms for conduction of electronic commerce, particularly in conjunction with mobile electronic devices. A technique for executing a commercial transaction is implemented via the electronic transmission of a transaction code from a customer to a business with whom the transaction is to occur. The transaction code is transmitted by a wired or wireless electronic device operated by the customer, such as a cordless telephone. The transaction code is received by an order processing system, such as a computer server. The system then identifies the customer and authenticates the transmission to deter fraud or mischief. Finally, the system determines a commercial transaction that is associated with the transaction code, and automatically executes the commercial transaction. This procedures provides for true one-touch execution of a commercial transaction.

10 [0011]The transaction code can be of a variety of formats. For example, if the ordering process is implemented in conjunction with a cellular telephone, the transaction code may be a dial sequence which is sent to a public switched telephone network via a wireless cellular communications link. Transaction codes can also be implemented by web-enabled cellular telephones or other web-based devices in the form of a Universal Resource Locator ("URL") which can be transmitted onto the Internet or another data network. Regardless of the nature of the transaction code, it may be stored in memory provided by the customer's electronic device.

15 [0012]The contents of the transaction codes are variable, and may depend upon the particular system implemented. For example, some transaction codes may include full

information describing the desired transaction embedded within the code. Other codes may include a reference to a preconfigured order stored within a vendor database. In system for which security is a concern, authentication mechanisms may be provided, such as password entry or message encryption.

5 [0013] In accordance with another aspect of the invention, caller identification features provided by many public telephone networks can be utilized to identify the customer. Where a transaction code is conveyed via placement of a call on a public telephone network, the vendor order processing system may detect the caller identification information conveyed from the telephone network to lookup information relating to the user and/or the desired commercial transaction from a vendor database.

10 [0014] In accordance with another aspect of the invention, customer devices can be automatically populated with transaction codes, thereby further increasing the convenience to the customer. A transaction code containing encoded information for the automatic execution of a commercial transaction is generated by a vendor. The transaction code is then electronically conveyed to the customer's device, such as via text messaging or infrared communications. The transaction code can then be automatically stored within the customer's device, thereby avoiding the potentially cumbersome process of manually entering a transaction code. The transaction code can thereafter be transmitting by the customer's device to initiate the execution of an associated commercial transaction with minimal effort on the part of the customer.

20 [0015] In addition to transmitting transaction codes to a customer's device, the aforementioned process may also be utilized to transmit other advertising or promotional information to user devices, with or without a transaction code.

Furthermore, in the context of mobile customer devices such as cellular telephones, the transmission of transaction codes or other promotional information can be targeted for dissemination within a desired geographical area. Location detection technologies, such as cellular triangulation or GPS reporting, can be utilized to track the current and projected future location of a customer device. Customers can then be targeted for receipt of transaction codes and/or promotional information relating to businesses operating within the region where the customer is currently located, or within a region through which the customer is expected to travel. The promotional information itself may also utilize the customer's location information. For example, a map may be transmitted to the customer indicating the customer's current location and the location of a vendor. Furthermore, customers may implement filters to accept only desired messages, such as messages from a particular vendor or from vendors within a particular region.

10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
2206
2207
2208
2209
2210
2211
2212
2213
2214
2215
22

BRIEF DESCRIPTION OF THE DRAWINGS

[0016] Figure 1 is a schematic diagram of a communications system providing for electronic commerce applications in a mobile environment.

[0017] Figure 2 is a flowchart of a first embodiment of a one-touch order process.

5 **[0018]** Figures 3a, 3b and 3c are diagrams of one-touch order codes.

[0019] Figure 4 is a flowchart of a second embodiment of a one-touch order process that incorporates encryption techniques.

[0020] Figure 5 is a flowchart of a third embodiment of a one-touch order process utilizing caller identification technology.

[0021] Figure 6 is a flowchart of a process for configuring one-touch ordering.

[0022] Figure 7 is a flowchart of a process for targeted dissemination of communications to mobile users for facilitating one-touch ordering and electronic commerce.

[0023] Figure 8 is a flowchart of a process for targeted dissemination of communications to mobile users based upon a user's anticipated future location.

DETAILED DESCRIPTION OF THE DRAWINGS

[0024] While this invention is susceptible to embodiment in many different forms, there are shown in the drawings and will be described in detail herein several specific embodiments. The present disclosure is to be considered as an exemplification of the principle of the invention intended merely to explain and illustrate the invention, and is not intended to limit the invention in any way to embodiments illustrated.

[0025] The present invention provides for the facilitation of electronic commerce via the automatic placement and execution of commercial transactions and the targeted dissemination of information to mobile consumers. Many of the apparatuses and methods taught herein can operate in conjunction with a variety of user terminals, including a conventional telephone, either wired or wireless. One example of a system capable of implementing several embodiments of the invention disclosed herein utilizes a cellular telephone as the user terminal, and is depicted in Figure 1. Thus, for purposes of this disclosure, reference will be made to use of a wireless device comprising a cellular telephone. Other devices, both wired and wireless, are contemplated as being within the scope of various embodiments of this invention, including conventional wired telephone sets.

[0026] Cellular telephone 100 communicates with cellular service provider infrastructure 120 via wireless communications link 110. Cellular infrastructure 120 is connected via at least one communications network to electronic commerce server 150. The specific nature of the communications network depends upon the communications process being implemented. For example, if cellular telephone 100 is a web-enabled device transmitting URL information, it may be desirable to conduct communications over a

packet-based data network such as the Internet 130. In an embodiment in which cellular telephone 100 transmits orders via keypad or speed-dial DTMF signals, communications may occur over public switched telephone network ("PSTN") 140, and server 150 may be equipped with an analog telephone line modem 155 for connection to the PSTN.

[0027] Figure 2 illustrates an embodiment of the invention capable of rapidly and conveniently placing electronic orders via a communications system such as that of Figure 1. In step 210, the user selects a predetermined transaction code which represents the commercial transaction intended by the user. For example, a transaction code corresponding to the delivery of a large pepperoni pizza from a local pizza restaurant to a user's home could be stored within cellular telephone 100. One way in which the transaction code may be stored is as a sequence of dialing digits in the speed dial memory of cellular telephone 100. If cellular telephone 100 is web-enabled, the transaction code could alternatively be stored as an Internet URL containing encoded information.

[0028] One embodiment of a transaction code is illustrated in the diagram of Figure 3a. The transaction code 300a is comprised of a plurality of data fields. Destination ID 310a specifies the intended routing of the transaction code through a communications network to vendor system 150. User ID 320a is uniquely associated with the customer, such as a customer login name, which identifies the customer sending the order to vendor system 150. Security code 330a is a confidential field used by vendor system 150 to authenticate the sender of a transaction code, such as a login password. Finally,

transaction identification field 340a conveys the nature of the transaction that is requested.

[0029] The specific content of transaction code 300a depends upon the technique that will be used to store and transmit the transaction codes. For example, transaction code 300b (Figure 3b) is stored in cellular telephone 100 as a sequence of dialing digits in the “speed dial” memory. The destination ID 310b is comprised of a telephone number associated with a vendor’s automated order receiving system, such as the telephone number of modem 155. Fields 320b, 330b and 340b are comprised of a sequence of DTMF digits encoding the customer ID, security code and order information, respectively.

[0030] When cellular telephone 100 is web-enabled, or when other web-based communications devices are utilized, the transaction code may be stored as an Internet URL, e.g., order code 300c (Figure 3c). In such an embodiment, the destination ID 310c may be comprised of the domain name or Internet address of a vendor’s electronic commerce server 150, such as “http://onetouch.quikorder.com/”. Fields 320c, 330c and 340c are ASCII characters comprising further URL fields appended to destination ID 310c which can be decoded by server 150 to specify the User ID, security code and transaction identification, respectively.

[0031] In step 220, the transaction code is conveyed to the intended product vendor or service provider. For example, where transaction code 310b is selected, the cellular telephone dials the stored sequence of DTMF digits. The first transmitted data element comprises the telephone number of the business order processing system. In the embodiment of Figure 1, the business order processing system is a computer based

telephony system comprised of modem 155 and server 150. Using pauses and other characters such as the “#” or “*”, the various elements of transaction code 310b are transmitted to server 150. Specifically, the dial sequence is conveyed by cellular infrastructure 120 to PSTN 140. PSTN 140 routes the telephone call to modem 155 according to the telephone number encoded in destination ID 310b. Modem 155 then receives the call, along with the remaining dialed digits stored in fields 320b, 330b and 340b. These dialed digits are decoded by the modem, and their contents are passed on to vendor server 150.

[0032] Alternatively, if transaction code 310c is selected, the Internet access portion of cellular telephone 100 transmits the URL query of transaction code 310c to cellular infrastructure 120 via a data call. The URL query is sent to Internet 130, where it is routed to server 150 according to the Internet address of destination ID 310c. Server 150 receives the URL and decodes the contents of fields 320c, 330c and 340c.

[0033] While transaction codes have been illustrated in the context of speed dial digits and an Internet URL, it is also contemplated that a transaction code could be conveyed from a user terminal to server 150 via other means of data transmission as well. For example, the transaction code could be stored as a predetermined instant message, and transmitted over the Internet using instant messaging systems. The order code could also be stored as a predetermined text sequence and transmitted using two-way paging or text messaging techniques.

[0034] In step 230, server 150 determines whether the user ID 320a received within the transaction code is a valid user ID, such as by referencing the received user ID with a user database stored within the server. If not, the order is aborted, step 260. If the user

ID is valid, server 150 proceed to compare the security code received in order code field 330a to the known security code stored within a business database and associated with the received user ID, step 240. If the security code does not match, the order is aborted, step 260. If the security code is valid, then the order is processed, step 250.

5 [0035] The method in which the order is processed in step 250 may depend upon the configuration of the order code. For example, in one embodiment of the invention, transaction identification field 340 may be comprised of a reference number associated with a predetermined commercial transaction, such as the delivery of a large pepperoni pizza to the user's home address. In this case, server 150 may reference a database to
10 associate the reference number of field 340 with details of the transaction, such as the type of pizza desired, the selection of delivery service, the address to which the order is to be delivered, the method of payment, and any other information appropriate for a particular embodiment of the invention. Payment for the order can be made through
15 prearranged means such as a credit card charge, an auto-debit arrangement, through prearranged debiting or charging to the user's telephone number account or through charging to an account maintained by a web commerce provider. The use of a reference to a previously-configured entry in an order database allows for implementation of arbitrarily complex transactions while allowing for an order code of limited, fixed and predetermined length.

20 [0036] In another embodiment, transaction identification field 340 may contain parameters specifying the transaction details, such that pre-configured transaction information need not be stored by the vendor. Such parameters may include data specifying the exact goods and/or services desired. Accordingly, the vendor need only

identify the customer information associated with the customer identification parameters before executing the transaction.

[0037] In yet another embodiment of the invention, the transaction identification field could be null, i.e. omitted entirely. Such a transaction code could be utilized in a system in which a single predetermined action is desired, such as the automatic repetition of the last order placed by the user, which may be stored in a database such as a Point of Sale ("POS") system.

[0038] Server 150 may optionally be linked directly to a POS system, e.g. POS system 170, such that order information can be directly and automatically entered therein. For example, in the case of a pizza delivery restaurant, server 150 can enter an order into POS system 170, such that a customer check and kitchen order are automatically generated. Server 150 could also be linked simply to a printer on the premises of a business, whereby the customer's order can simply be printed out and then acted upon by order fillers employed by the vendor.

[0039] As an example, a customer using cellular telephone 100 wishing to order his/her standing order for a large pepperoni pizza and six pack of soda from the local pizza parlor, can do so by simply pressing a "speed dial" key on cell phone 100 which would transmit predetermined order code 310b, specifying the desired order information, to the restaurant hosting server 150. The order is then received by the business system, verified and an order is generated pursuant to the restaurant's order mechanism. In this manner, the user forgoes the need to speak to a human operator or otherwise interact with a computerized order entry system to place a repeat order.

[0040] Various security measures are contemplated to insure that no fraud or abuse occurs. For example, the transmission of the order code can be encrypted using a public-private key system, and/or an embedded security code could be used as described above. An embodiment of the invention utilizing encryption is illustrated in Figure 4. Steps 410, 420, 430, 440, 450 and 460 are analogous to steps 210, 220, 230, 240, 250 and 260, respectively. However, before transmitting the transaction code, the portion of the transaction code other than the destination ID is encrypted in step 415 using one of the many data encryption systems known in the art. Upon receiving the transaction code, server 150 decrypts the code fields in step 425 according to the predetermined encryption system, before processing the transaction code contents.

[0041] In another embodiment of the present invention, the automatic ordering system may utilize caller identification (CID) information automatically provided by most public telephone systems. Such an embodiment is illustrated in Figure 5. In operation, the user selects a speed dial telephone number sequence associated with a vendor's automated order line to initiate a telephone call from cellular telephone 100, step 510. The call is routed through PSTN 140 to the computer-based automated ordering system comprised of modem 155 and server 150, step 520. Meanwhile, as the call is routed to modem 155, PSTN 140 automatically transmits CID information associated with the telephone line from which the call has originated, i.e., cellular telephone 100. Modem 155 and server 150 capture the CID information, step 530, and check the CID information against a computer customer database to determine, for example, if the customer has called before and has activated one touch ordering for her/her account, step 540. If the CID information is not recognized, is associated with a customer who

has not enabled one-touch ordering, or is otherwise invalid, the automatic ordering process is aborted, step 550. If the CID information is recognized, confirmation step 560 can optionally be provided. For example, in step 560 a voice prompt to the user in synthesized human speech can be generated by server 150 and communicated back to the user via modem 155 and PSTN 140. The user may be presented with options such as for pressing "1" to repeat the last order, pressing "2" to hear specials, or pressing "3" to speak to a live operator to place a new order. Alternatively, the vendor system may accept user commands via voice recognition technology to trigger placement of a standing order. If the customer confirms that a predetermined order, such as a repeat of the customer's previous order, is desired, then the order is automatically processed in step 570 according to order information associated with the CID information that was received in step 530.

[0042] If voice recognition is used, a more sophisticated order entry system can be configured. In accordance with one aspect of such a system, the security of the system can be further enhanced. For example, upon the calling the vendor system, the system may play the caller a greeting asking for the user to enter an access code. The user may utter the phrase "go 1234" which causes the system to accept the access code 1234 and verify its authenticity by comparing the code to a predetermined value associated with the user's CID information in a server 150 user database. A reserve word menu can also be implemented where, for example, the caller utters the phrase "attention repeat dinner". The system would respond by playing to the caller a list of prior orders associated with the user's detected CID information as stored in a server

150 order database. Also, new menu items could be selected and purchased using additional voice commands.

[0043] While the one-touch ordering process described herein is advantageous for improving the convenience and efficiency of performing commercial transactions, the order codes described above must be initially configured. In accordance with another aspect of the invention, remote and automatic programming of a wired or wireless terminal or device can be provided. For example, cellular telephone 100 can be populated with speed dial telephone numbers corresponding to one-touch transactions, or the address book of a web-enabled telephone can be populated with URL transaction codes, toward facilitating the configuration of a "one touch" ordering system.

[0044] Figure 6 illustrates one technique for configuring one-touch transactions on a user terminal. The technique of Figure 6 is designed to operate using a cell phone or other device that has the ability to detect incoming messaging and to execute a software program or operation in response to an appropriate incoming message. Instead of requiring the user to manually program his/her phone with the text order string or URL, the vendor system transmits the appropriate text order string or URL to the phone which, in turn, receives, detects and automatically programs its phone book or memory with the received order text string or URL.

[0045] In step 600, contact is initiated between the user and a vendor, such as may be required to manually place an order via a conventional ordering mechanism. For example, in the context of Figure 1, cellular telephone 100 may call telephone 160 residing on the premises of a vendor or service provider, such as a pizza restaurant, towards orally placing an order. Alternatively, if cellular telephone 100 is web-enabled

or if the user is at a computer terminal with access to Internet 130, the user may access such a restaurant's Internet web site, hosted by server 150, to place such an order. While contacting the vendor, the user may be offered or may request a one-touch transaction code for use in conveniently placing future orders.

5 [0046] In step 610 the vendor generates a transaction code corresponding to the one-touch order configuration requested by the user. For example, a POS system operated by a telephone order-taker may automatically generate a transaction code corresponding to the order that has just been placed. If the vendor was contacted in step 600 via a web site interface, the vendor's web server may generate the transaction code.

10 [0047] The transaction code is conveyed to the user device in step 620, and stored within the user device in step 630. The customer can obtain and store the transaction code in any number of ways, where the complexity of the particular transaction code may be considered in determining which method is most appropriate. For example, in
15 step 600 the user may initially place an order for a pizza by placing a telephone call with cellular telephone 100 to pizza parlor telephone 160 and speaking to a human operator. After taking the customer's order by phone, the customer may be offered the option of receiving a transaction code toward being able to execute a repeat order for the same pizza and other items at a later date. The business would then generate the order text
20 string from its order processing computer system in step 610 and orally communicate the transaction code to the user in step 620. Where the transaction code is intended to populate a speed dial location within cellular telephone 100, such as transaction code 300b, the user can manually enter the dial sequence into the speed dial memory of

cellular telephone 100 in step 630. Alternatively, the customer may place an order on-line via the Internet with web-enabled cellular telephone 100 or with any other device with Internet access, as opposed to speaking to a live operator, and a transaction code may be conveyed visually for entry and storage in the user's device in step 630, such as by "bookmarking" a transaction code URL. A vendor can convey the transaction code to the customer in other ways as well, such as by sending an email or sending a written mailing. A URL transaction code can be stored as an icon in a web-based communications device with a graphical user interface. Accordingly, a tray or window could be configured holding one or more one-touch URL icons, whereby a user could have the ability to immediately place a desired order, such as an order for a particular office supply, by simply clicking the associated icon.

[0048] The process of Figure 6 can also be employed to implement an automated programming mechanism whereby transaction codes can be communicated to a user without requiring the manual entry of a possibly complex string of data. In step 600, the user additionally identifies the device that is intended to store the transaction code, to the vendor. For example, if cellular telephone 100 is to be automatically populated with a one-touch transaction code, the vendor is provided with the telephone number of cellular telephone 100. In the context of an Internet or web based device, the vendor is provided with the URL, instant messaging address or other electronic identifier corresponding to the target device. One convenient way in which the one-touch device can be identified is by capturing the necessary phone number or URL at a time when that customer places an order via a conventional ordering technique. For example, when a customer calls a pizza parlor and orders a large pepperoni pizza and six pack of

soda, the customer might be asked to authorize the vendor system to automatically populate the customer's phone with a transaction code. The operator would then take down the appropriate information, including the one-touch device identifier (e.g. the telephone number or Internet address of cellular telephone 100), and enter it into the vendor's system. The customer could also provide the vendor system with its identifying information, such as a telephone number or Internet address and the desired order, by using an Internet connection to the vendor's web site.

[0049] In response, the vendor system would electronically send a message to the customer's device that includes the transaction code in step 620. For example, vendor server 150 may electronically transmit a text message to cellular telephone 100 via Internet 130, cellular infrastructure 120 and wireless communications link 110. The text message includes a transaction code, such as dial sequence 300b or URL 300c. It is contemplated that within the customer device, a directory such as a phone book or Internet "favorites list" could be provided for with a range of entries that are designated for storage of transaction codes and use with one-touch transactions. The customer device could further be configured to provide for an auto save feature such that speed dial sequences or URLs received via text messaging in step 620 are automatically stored into the phone book or "favorites list" in step 630. Optionally, storage step 630 may query the user of the customer device for authorization to store the transaction code prior to doing so. The need to manually enter the order code can thereby be eliminated.

[0050] In another embodiment of the invention, cellular telephone 100 receives a communication from vendor server 150 in step 620 which contains an embedded

transaction code and which further triggers the execution of an application such as a Java Applet. The application receives, decodes and/or otherwise recognizes the incoming message and, if appropriate security measures are met, automatically writes the text order string or URL to a memory location in the telephone memory in step 630.

- 5 In this manner the vendor is able to remotely program a customer's phone, populating the phone book or other database in which transaction codes can be stored.

[0051] In addition to automatically populating a customer device database pursuant to a specific request from a customer, the present invention can also be employed to exploit location-based technologies that are now being designed into cellular telephones and other mobile communications devices to provide targeted and automatic dissemination of transaction codes or other information for the facilitation of electronic commerce by mobile consumers. A number of location based technologies are contemplated, including on-board GPS integrated directly into a mobile communications device, and cellular system triangulation, wherein a cellular infrastructure system itself determines the location of a mobile device within its cell network.

[0052] Figure 7 illustrates an embodiment of this aspect of the invention implemented with the cellular system of Figure 1. In step 710, vendor server 150 interrogates cell site 120 to determine the identity of cellular devices that are registered to the interrogated site, such as cellular telephone 100. The concept of cellular telephones is, of course, based upon the dispersion of communications service across a plurality of geographic regions, each region being serviced by a different cell site, such that no one site has to keep track of every cellular phone on-line and registered with the system. Instead, cell phones are only recognized by the site or sites to which the phone is within a

predetermined physical proximity. Thus, in step 710, vendor system 150 polls or otherwise probes or interrogates cell site 120 to identify the telephone numbers or other device identifier corresponding to phones or devices that are near cell site 120.

[0053] In step 720, cell site 120 determines the geographic location of the cellular devices with which it communicates, such as cellular telephone 100. If the query from vendor system 150 merely requests all devices within the cell of site 120, then site 120 must merely identify each device as being within its cell. Alternatively, site 120 may more specifically determine the position of each handset within the cell using one of many location systems known in the art of radio and cellular communications. For example, the cell phones themselves may be equipped with a GPS system such that the phone itself can identify its precise geographic location and transmit that location to the cellular network. A phone's location could also potentially be derived via radio triangulation using signals received by a cell antenna within a particular cell (i.e. cell site 120) and within adjoining cells. The end result in both cases is that the cellular infrastructure can identify wireless devices within a particular region in step 720.

[0054] One or more mechanisms can optionally be provided whereby the user of a cellular telephone or other mobile communications device can selectively or indiscriminately disable the receipt of broadcast communications, thereby preventing inconvenience to the user that may result from receipt of unsolicited messages. Such a mechanism is provided by step 720, in which the election to receive broadcast messages is determined for each device identified in step 710. The determination may be based, for example, upon a query of each device by the cell site, or the election to receive or block broadcasts may be determined by querying a database maintained

within the cellular system. If a device is configured to refuse broadcast communications, then the messaging process is aborted in step 735.

[0055]A device may be configured to reject all broadcast messages, to reject certain broadcast messages, or to allow only certain messages. For example, customers interested in the offerings of a particular commercial chain could set their wireless device to accept suggestive sales information from the closest store in the desired chain. Alternatively, the wireless device could be configured to accept all advertisements from merchants within a desired geographic radius. A user could also configure their wireless device to accept all advertisements and contact information from merchants in a given locale, zip code, town or other location identifier. Finally, a wireless device could be set to accept special offers from a specific class of merchants. Such offers could be sorted by type, value or location at the user's discretion. Such offers may include a transaction code for implementation via the user's wireless device.

[0056]If broadcast messaging for cellular telephone 100 is enabled, then a determination is made as to whether cellular telephone 100 is eligible for receipt of the particular message transmission in step 740. Step 740 allows a vendor system to identify the phone numbers or internet addresses of phones or other wireless devices within a specific desired geographic region, such as within a predetermined distance of the vendor's business location. If the desired geographic region is simply the cell in which cellsite 120 operates, then all devices registered to cell site 120 are identified as eligible devices. If the desired region is narrower, then a determination is made as to whether the location determined in step 720 lies within the desired region. The vendor can then target the transmission of its broadcast notices or advertisements or other

promotional offers to enabled phones or devices within the desired region, step 750. Such phones or devices would then receive the broadcast information and present their users with the option to engage in further commerce by acting upon the notice, ad or offer.

5 **[0057]**For example, a gourmet coffee store could broadcast to motorists within a five mile range of the store that the store is running a special. The store system server knowing which phone numbers are within the area would make contact each such enabled device and transmit to those devices an indication that may be accepted by the phone to either generate advertising and or actually populate a speed dial memory location on the phone with a one-touch transaction code.

10 **[0058]**Optionally, additional criteria can be provided to further control the receipt of such broadcast messaging. For example, a cellular phone could be programmed to accept "broadcast" messages from businesses that are within the vicinity of the user's regular travel patterns, such as could be determined if a message from a given vendor is received more than a threshold number of times. Such a criterion is implemented at
15 step 760. If cellular telephone 100 determines that the broadcast message received in step 750 that at least a predetermined number of messages from the same vendor have been received in the past, it is likely that the vendor's business targets a region regularly traveled by the cellphone user, and the message is accepted in step 770. Otherwise,
20 cellular telephone 100 logs receipt of a message from the vendor, step 765, and completes the operation without displaying or activating the message contents. In this manner, the phone can detect that the user passes by a given vendor/business with enough frequency to warrant accepting its broadcasts.

[0059] The messages broadcast via the process of Figure 7 can optionally be configured such that the received notices, ads, offers and/or transaction codes can be either automatically deleted from or automatically retained in the user's cellular telephone or other mobile device upon the satisfaction of a predetermined criterion.

5 The criterion may be specified by a field within the message itself, or may be configured by the user of the cellular telephone. Such deletion criteria may include the expiration of a predetermined period of time, the first use of a transaction code (such as in the case of a one-time offer), the transport of the cellular telephone a specified distance from the vendor's physical location, or the passage of a given period of time over which
10 the user failed to acknowledge or respond to the notice, ad or offer. For example, a gourmet coffee store may wish to transmit offers that are programmed to be automatically deleted by the recipient wired or wireless device after a set period of time
15 be it hours, minutes or days after an initial order is made or further upon detection that the phone has traveled a predetermined distance from the business and as such the user would be unlikely to return back to that place to take advantage of the offer. It is
20 further possible to configure the system such that categories or types of businesses, users and the like are maintained such that matches can be made that are more like to generate business to the stores subscribing to the system and are more likely to be used and beneficial to the users of the system thereby promoting its use.

[0060] The one-touch order and automatic broadcast message distribution technologies can also be implemented as the basis of a business model. One embodiment of such a model might implement the information dissemination process of Figure 7. A business can exist which operates a server that identifies wireless or wired devices that are

available or on-line within one or more geographic areas. The server may optionally have access to a database containing identity and/or demographic data that can be referenced with the identity of each device detected. The server could then match the identities of the on-line wired or wireless devices with vendors who have subscribed to the business operator's service in step 740. When such matches are made a triggering event occurs such that a broadcast is made to the matched device by the server, thus dispatching to that phone or wireless device an advertisement offer or other materials that the subscriber businesses seek to disperse. Additionally, rather than merely transmitting an automated message or programmed offer for a particular product in step 750, the bandwidth of the cellular system network could permit the transmission of streaming video or audio transmitted from the server to the wireless device. Furthermore, the geographic location information determined in step 720 could be utilized to dynamically generate a map keyed to the present location of the device, such that the device user who accept and views the map would be able to physically see directions from the user's present location to the location of the vendor that generated the offer.

[0061] As a wireless phone technology advances, location-finding technologies become increasingly available for tracking not only the current location of a wireless device, but also the change in the position of a wireless device over time. However, existing technologies for the placement and routing of certain types of orders via electronic commerce are based upon an assumption that the customer's location is fixed. The fixed location can then be compared to predefined service areas associated with vendors to identify one or more optimal vendors for servicing the customer. For

example, such systems are sometimes used in placing an order for a pizza from a large pizza restaurant franchise via the Internet. An appropriate restaurant for the carry-out or delivery order is chosen by comparing the customer's reported location at the time of the order with service area maps for each restaurant. Thus, the selection of a vendor involves an assumption of a fixed location.

[0062] However, such systems are frequently not optimal for routing commercial transactions when the customer's location is moving and not fixed. For example, if a carry out order is placed for a pizza by a user driving a car, the store closest to the driver at the time the order is placed may be completely inappropriate inasmuch as the driver may be long gone by the time the pizza is ready 30 minutes later. Similarly, with respect to the dissemination of transaction codes or other promotional messaging, such as is illustrated by Figure 7, it may be desirable to communicate with a potential customer a predetermined period of time before the customer actually arrives in the vicinity of the vendor.

[0063] One example of how the present invention is able to adapt to and in fact take advantage of a changing geographic position that is updated as the wireless device moves is illustrated by the process of Figure 8 implemented in conjunction with the system of Figure 1. The geographic location of cellular telephone 100 is periodically identified via a location finding system, such as a GPS receiver on the cellular telephone, step 800, thus creating a series of positional samples over time. The customer's location is determined to be the most recent positional sample, step 810, and the anticipated position at a specific time in the future is determined by the estimated direction and rate of travel, which are calculated based upon the time

difference relative to each positional sample, step 820. Accordingly, the system is able to determine not just where the wireless device is at one point in time, but also where it is likely to be at some time in the future.

[0064] One way that this location information can be utilized by server 150 is for the identification of wireless devices satisfying predetermined location criteria associated with a vendor, step 830. For example, a store may have a designated service area and may be precluded by a franchisor from trading outside that boundary. When a cell phone is dynamically determined to be either inside a store's service boundary, or on the way into such a boundary, a store location may provide advertisements or other promotional offerings, such as discount offers and the like, to the cell phone, step 840.

[0065] One way such promotional offerings may be provided in step 840 is through the transmission of a banner advertisement with a dynamic wireless location sensitivity attribute that allows an ad to be dynamically generated on a web page which would contain customer preference and location targeted messages for products and services marketed in the trade area in which the cell phone is currently located, or the area in which the cell phone is anticipated to arrive, as determined in step 820.

[0066] The identification of devices eligible to receive a promotional offering could also be based upon a calculated radius of accessibility for the device. The radius of accessibility estimates the geographical region over which the device user could reasonably travel to engage in a commercial transaction. This region can be determined for each user based upon the direction and speed of travel. For example, for stationary wireless devices, a radius could be constructed based upon a reasonable walking distance from the current location of the device. For moving wireless devices,

the region may consist of a semi-circle in front of the direction of travel. The radius of the semi-circle may depend upon the speed of travel, inasmuch as the distance that could be covered with reasonable effort on the part of the customer increases with the average speed of the customer. Furthermore, the arc covered by the semi-circle may decrease as the travel speed of the device increases, thereby accounting for the increase in inconvenience likely to be caused by deviation from the current direction of travel as travel speed increases. Messages or transmissions from vendors with locations or target commercial areas within the radius are conveyed to the device. Thus, either the store's trade area, or the wireless device's positional, directional and speed information could create overlapping areas of opportunity for business information and trade.

[0067] The foregoing description and drawings merely explain and illustrate the invention and the invention is not limited thereto except insofar as the appended claims are so limited, inasmuch as those skilled in the art, having the present disclosure before them will be able to make modifications and variations therein without departing from the scope of the invention.